#### CLIMATE MONITORING AND PREDICTION FOR SRI LANKA

# **HIGHLIGHTS**

# Rainfall Prediction

&Kalutara districts is hazardous.Heavy rainfall above **100**mm is expected in Sabaragamuwa Wester, Southern & Central provinces.

# **Monitored Rainfalls**

daily rainfall over Sri Lanka was 4.4 mm and hydro catchment areas have received 9.4 mm on average.

# Monitored Wind

westerlies and South-westerlies were experienced




Monitored Sea surface & Land

above 0.5  $^{\circ}$ C to the north and east of surface Temperature remained near normal during the last week.


## **Monitoring**

Rainfall


#### Daily Estimates for Rainfall from 2<sup>nd</sup> – 9<sup>th</sup> May 2022




2 May




3 May




4 May




5 May




6 May



7 May





9 May

#### Federation for Environment, Climate and Technology

80 100 120 140 160 180 Estimated Precipitation [mm/day]

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka. Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lk E mail: info@fect.lk LI: www.linkedin.com/in/fectlk FB: www.facebook.com/fectlk TW: www.twitter.com/fectlk



#### Ocean State (Text Courtesy IRI)

#### Pacific sea state: May 4, 2022

Equatorial sea surface temperatures (SSTs) are below average across the most of the Pacific Ocean in early-May. The tropical Pacific atmosphere is consistent with La Niña. A large majority of the models indicate La Niña is favored to continue into the Northern Hemisphere summer.

#### Indian Ocean State

Sea surface temperature was above 0.5°C to the north and east of Sri Lanka.

#### **Predictions**

Rainfall

14-day prediction: NOAA NCEP models

From 11<sup>th</sup> – 17<sup>th</sup> May:

Total rainfall by Provinces:

Rainfall	Provinces
<u>&gt;</u> 135 mm	Western, Southern, Sabaragamuwa
105 mm	Central
95 mm	North Western
85 mm	Northern, North Central, Uva
65 mm	Eastern

#### From 18<sup>th</sup> – 24<sup>th</sup> May:

Total rainfall by Provinces:

Rainfall	Provinces
115 mm	Western, Southern
105 mm	Sabaragamuwa
75 mm	North Western, North Central
65 mm	Uva, Northern, Central
45 mm	Eastern

#### **MJO** based OLR predictions

#### For the next 15 days:

MJO shall neutral during  $13^{th}$  -  $15^{th}$  May, shall moderately suppress the rainfall during  $16^{th}$  –  $20^{th}$  May and severely suppress during  $21^{st}$  –  $25^{th}$  May.

### Interpretation

#### Monitoring

**Rainfall:** During the last two weeks, there had been heavy rainfall over the following area: Ratnapura Daily Average Rainfall in the Met stations for previous week of  $(2^{nd} - 9^{th} \text{ May}) = 4.4 \text{ mm}$  Rmax: 105 mm & Rmin: 0.0 mm.

Region	Average rainfall for the Last 8 days
Northern Plains	0.6 mm
Eastern	3.6 mm
Western	8.6 mm
Southern Plains	3.9 mm

The Hydro Catchment Areas recorded 9.4 mm of average rainfall for the last week Rmax: 98 mm & Rmin: 0 mm.

Wind: Westerly and South-westerly prevailed in the sea area surrounding the island last week.

**Temperatures:** The temperature anomalies were above normal for the Western, Sabaragamuwa and North-western provinces and neutral for the rest of the country, driven by the warm SST's.

#### **Predictions**

*Rainfall:* During the next week (13<sup>th</sup> - 17<sup>th</sup> May) heavy rainfall (>100 mm) is predicted for the Western, Sabaragamuwa, Southern, and Central provinces. NCEP GFS prediction for 11<sup>th</sup> onwards, the heaviest rainfall expected in Ratnapura, Galle & Kalutara districts is hazardous.

**Temperatures:** The temperature remains slightly below normal in the Central, Uva & Sabaragamuwa provinces and above normal in the Eastern province during 6<sup>th</sup> - 14<sup>th</sup> May.

#### **Teleconnections:**

La Nina - The SST forecast indicates that La Niña is favored to continue into the Northern Hemisphere summer (June-August 2022).

MJO shall neutral during  $13^{th}$  -  $15^{th}$  May, shall moderately suppress the rainfall during  $16^{th}$  –  $20^{th}$  May and severely suppress during  $21^{st}$  –  $25^{th}$  May.

#### Seasonal Precipitation:

The precipitation forecast for the May-June-July season shows below-normal precipitation for the island, but above-normal precipitation for the northern province.

#### **Terminology for Rainfall Ranges**

	Rainfall (During 24 hours of period)
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, <sup>1</sup> International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.





FECT Blog

Past reports available at http://fectsl.blogspot.com/



Facebook





**Twitter** 

www.twitter.com/fectlk

# FEDERATION FOR ENVIRONMENT, CLIMATE AND TECHNOLOGY

www.fect.lk www.climate.lk

## Weekly Climate Bulletin for Sri Lanka

#### Inside This Issue


- Monitoring
   a. Daily Rainfall Monitoring
   b. Weekly Rainfall Monitoring
   c. Monthly Rainfall Monitoring
   d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
   Weekly Temporature Monitoring
  - e. Weekly Temperature Monitoring f. Weekly Wind Monitoring
- g. Weekly Average SST Anomalies
  2. Predictions


- a. NCEP GFS Ensemble 1-14 day Rainfall Predictions b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi c. MJO Related OLR Forecast
- d. Weekly Temperature Forecast e. Weekly Wind Forecast
- Seasonal Predictions from IRI


#### **MONITORING**


#### **Daily Rainfall Monitoring**


The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.






















#### Weekly Rainfall Monitoring


The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




#### **Monthly Rainfall Monitoring**

The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall






The following figure shows the observed accumulated rainfall (top) and daily observed rainfall (bottom) in Sri Lanka in the last 30 days.




(updated on 00Z10MAY2022)

#### Dekadal (10 Day) Satellite Derived Rainfall Estimates




#### **Weekly Temperature Monitoring**




#### **Weekly Wind Monitoring**


The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP




Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC





#### NCEP GFS 1-14 Day prediction



#### IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India








#### Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomolous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.






#### **Weekly Temperature Forecast**

Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)



#### **Weekly Wind Forecast**

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)




#### **Seasonal Rainfall and Temperature Forecast**

Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

IRI Multi–Model Probability Forecast for Precipitation for May–June–July 2022, Issued April 2022

IRI Multi–Model Probability Forecast for Temperature for May–June–July 2022, Issued April 2022



**Precipitation Forecast** 

Temperature Forecast



FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.

Contact us

Federation for Environment, Climate & Technology Digana Village, Rajawella, KY20180, SRI LANKA email: info@fect.lk phone: (+94) 81 2376746 Subscribe to our monthly newsletters