

## HIGHLIGHTS

**Rainfall Prediction**



• Fairly heavy rainfall is predicted for Central, Southern, Western and Sabaragamuwa provinces during 15<sup>th</sup> - 19<sup>th</sup> Oct. Greater likelihood of dry tendency is predicted for southern Sri Lanka from Oct to Dec.

**Monitored Rainfalls**



• Very heavy rainfall was observed in the Northern and North Western provinces with max of 200.3 mm in Jaffna district on 10<sup>th</sup> Oct according to ground observations.

**Monitored Wind**



• From 5<sup>th</sup> Oct - 12<sup>th</sup> Oct, up to 40 km/h Southwesterlies were experienced across the island.


**Monitored Sea Surface**




• Sea surface temperature was observed above 0.5 °C all around Sri Lanka.

## Monitoring Rainfall


### Daily Estimates for Rainfall from 5<sup>th</sup> October – 12<sup>th</sup> October




5 October




6 October




7 October




8 October




9 October




10 October



11 October



12 October



Federation for  
Environment, Climate  
& Technology

### Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka.

Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: [www.fect.lk](http://www.fect.lk)

E mail: [info@fect.lk](mailto:info@fect.lk)

LI: [www.linkedin.com/in/fectlk](https://www.linkedin.com/in/fectlk)

FB: [www.facebook.com/fectlk](https://www.facebook.com/fectlk)

TW: [www.twitter.com/fectlk](https://www.twitter.com/fectlk)

## Ocean State *(Text Courtesy IRI)*

---

### ***Pacific sea state: October 6, 2021***

Equatorial SSTs were near-to-below average across most of the equatorial Pacific Ocean, and were above average in the western Pacific Ocean in the early-October. A large majority of the model forecasts predict a transition from ENSO-neutral to La Niña is favored in the next couple of months and La Niña to continue through the Northern Hemisphere fall and winter.

### ***Indian Ocean State***

Sea surface temperature was observed above 0.5°C all around Sri Lanka.

## Predictions

### Rainfall

---

#### ***14-day prediction: NOAA NCEP models***

**From 13 – 19<sup>th</sup> October:**

Total rainfall by Provinces:

Rainfall	Provinces
75 mm	Sabaragamuwa, Western
55 mm	Central, Southern
45 mm	Eastern, North Western, Uva
35 mm	Northern, North Central

**From 20 – 26<sup>th</sup> October:**

Total rainfall by Provinces:

Rainfall	Provinces
95 mm	Sabaragamuwa, Western
85 mm	Central
75 mm	Eastern, Southern, North Western, Uva
65 mm	Northern, North Central

### MJO based OLR predictions

***For the next 15 days:***

MJO shall be active, thus giving slightly suppressed rainfall during 13<sup>th</sup> – 27<sup>th</sup> October.

# Interpretation

## Monitoring

**Rainfall:** During the last two weeks, there had been very heavy rainfall over the Northern and North Western provinces and heavy rainfall over the Central, Southern and Western provinces.

**Wind:** South westerly winds prevailed in the sea area and around the island during last week.

**Temperatures:** The temperature anomalies were below normal by 1°C – 3°C in the North Central province while near-neutral for the rest of the country last week, driven by the warm SST's.

## Predictions

**Rainfall:** During the next week (15<sup>th</sup> - 19<sup>th</sup> October) fairly heavy rainfall is predicted for Central, Sabaragamuwa, Southern and Western provinces.

**Temperatures:** The temperature remains slightly normal for October. During 15<sup>th</sup> – 23<sup>rd</sup> October, the temperature remains high especially in the Eastern, North Central and Uva provinces.

### Teleconnections:

La Nina -The SST forecast indicates that ENSO-neutral are present and a transition from ENSO-neutral to La Niña is favored in the next couple of months.

MJO shall be active, thus giving slightly suppressed rainfall during 13<sup>th</sup> - 27<sup>th</sup> October.

### Seasonal Precipitation:

October to December is the main rainfall season in Sri Lanka. The consensus predictions has switched from neutral to favoring a dry tendency. A dry tendency can hurt agricultural production and it adds to farmer difficulties due to the fertilizer bans. However, since this is the wet season the impact will not be as severe.

However, the bigger impact shall be that it shall reduce the generated hydropower in the coming months. This can hurt the economy due to the scarcity in Foreign Exchange within the country due to the Central Bank regulations.

## Understanding the Forecast

	Rainfall (During 24 hours of period)
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, <sup>1</sup> International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.



FECT Web

[www.fect.lk](http://www.fect.lk)  
<http://www.climate.lk>  
<http://www.tropicalclimate.org/>



FECT Blog

Past reports available at  
<http://fectsl.blogspot.com/>



Facebook

[www.facebook.com/fectlk](http://www.facebook.com/fectlk)



Twitter

[www.twitter.com/fectlk](http://www.twitter.com/fectlk)

## Weekly Climate Bulletin for Sri Lanka

### Inside This Issue


1. **Monitoring**
  - a. Daily Rainfall Monitoring
  - b. Weekly Rainfall Monitoring
  - c. Monthly Rainfall Monitoring
  - d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
  - e. Weekly Temperature Monitoring
  - f. Weekly Wind Monitoring
  - g. Weekly Average SST Anomalies
2. **Predictions**
  - a. NCEP GFS Ensemble 1-14 day Rainfall Predictions
  - b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi
  - c. MJO Related OLR Forecast
  - d. Weekly Temperature Forecast
  - e. Weekly Wind Forecast
  - f. Seasonal Predictions from IRI



### MONITORING





#### Daily Rainfall Monitoring

The following figures show the satellite observed rainfall in the last 9 days in Sri Lanka.





## Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




## Monthly Rainfall Monitoring

The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall







The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.




The following figure shows the observed accumulated rainfall (top) and daily observed rainfall (bottom) in Sri Lanka in the last 30 days.



## Dekadal (10 Day) Satellite Derived Rainfall Estimates




## Weekly Temperature Monitoring




## Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows the 700 mb (~3000 m) level.




## Weekly Average SST Anomalies

Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP





Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC










**NCEP GFS 1- 14 Day prediction**




**IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India**





### Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomalous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.




## Weekly Temperature Forecast

Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)

GFS week1 Temperature Max (C)  
Ending: 18z20Oct2021




GFS week1 Temperature Min (C)  
Ending: 18z20Oct2021




## Weekly Wind Forecast

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)

GFS 850mb week1 Mean Vector Wind Total (m/s)  
Ending: 18z20Oct2021



GFS 700mb week1 Mean Vector Wind Total (m/s)  
Ending: 18z20Oct2021






## Seasonal Rainfall and Temperature Forecast


Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

IRI Multi-Model Probability Forecast for Precipitation for October–November–December 2021, Issued September 2021



Precipitation Forecast

IRI Multi-Model Probability Forecast for Temperature for October–November–December 2021, Issued September 2021



Temperature Forecast

### About us

FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.

### Contact us

Federation for Environment, Climate & Technology  
Digana Village,  
Rajawella,  
KY20180,  
SRI LANKA.

email: [info@fect.lk](mailto:info@fect.lk)  
phone: (+94) 81 2376746

### Follow us on



Subscribe to our monthly newsletters