CLIMATE MONITORING AND PREDICTION FOR SRI LANKA

HIGHLIGHTS

Rainfall Prediction

Dry weather conditions are predicted for next week while high likelihood of scattered showers (≤ 5mm) may occur from 13 - 19 March.

Monitored Rainfalls

- •On average, 1/6 of the predicted rainfall was received over the country during 12 Feb - 13 Mar.
- •Rainfall on 8 March was highest (115 mm) at Keragala (SP).

Wind Monitored & Predicted

- Winds at 850mb (1.5 km) were north easterly from 4 - 10 Mar reaching up to 6
- Winds at 850mb (1.5 km) are predicted easterly from 14 - 20 Mar reaching up to 3 m/s.



 Maximum daily temperature was in Kurunegala (38.3°C) & Puttalam (37.9°C).


Monitored Sea & Land Temp

•Sea surface temperature around Sri Lanka was 0.5 - 1.5°C above normal.


Monitoring

Rainfall


Daily Estimates for Rainfall from 1st March - 8th March 2024



1 March




2 March




3 March




4 March




8 March





5 March




6 March











Federation for Environment, Climate & Technology

Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka. Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lk E mail: info@fect.lk LI: www.linkedin.com/in/fectlk TW: www.twitter.com/fectlk

FB: www.facebook.com/fectlk

Ocean State (Text Courtesy IRI)_

Pacific sea state: March 11, 2024

The SST Anomalies for the NINO3.4 region shows a +1.7 °C on the week ending 11th March - thus a moderate-strong El Nino is sustained. Consensus of models predict a continuation of the El Niño event until May 2024 before weakening thereafter.

Indian Ocean State

Sea surface temperature around Sri Lanka was 1.0°C above normal to the country in 20th February - 26th February 2024. A positive Dipole Mode has set in across the Indian Ocean since 8th of June.

Predictions

Rainfall ___

14 Day prediction: NCEP GFS models

From 13th - 19th March:

Total rainfall by Provinces:

Rainfall (mm)	Provinces	
≤5	Eastern, Uva, Central, Northern, Southern, Sabaragamuwa, Western, North	
7.0	Central, North Western	

From 20th - 26th March:

Total rainfall by Provinces:

Provinces
ern, Central, Sabaragamuwa, Uva, Western, Southern, Northern, North

MJO based OLR predictions

For the next 15 days:

MJO shall slightly suppress the rainfall during 13^{th} - 17^{th} March and moderately suppress the rainfall during 18^{th} - 27^{th} March for Sri Lanka.

Interpretation

Monitoring _____

Rainfall: During the last two weeks, there had been heavy rainfall over the following area: Keragala.

Daily Average Rainfall in the Met stations for previous week of (6th - 13th March) = 0.7 mm Maximum Daily Rainfall: 106.9 mm & Minimum Daily Rainfall: 0.0 mm.

Docion	Average rainfall for last	Average temperature	e for last 8 days (°C)
Region	8 days (mm)	Maximum	Minimum
Northern plains	0.0	34.1	23.5
Eastern hills	0.0	28.6	16.3
Eastern plains	0.0	33.3	23.3

Western hills	5.3	30.5	18.8
Western plains	0.7	33.7	25.0
Southern plains	0.0	34.7	24.0

Region	Average rainfall for last 8 days (mm)	Daily maximum rainfall for last 8 days (mm)	Daily minimum rainfall for last 8 days (mm)
Hydro catchment	0.8	43.0	0.0

Wind: North easterly winds prevailed in the sea area and around the island last week.

Temperatures: The temperature anomalies were above normal for some parts of the Sabaragamuwa, Western, Southern, and Central provinces and below normal for some parts of the Northern province of the country, driven by the warm SST's.

Predictions

Rainfall: During the next week (13th March - 19th March), light showers (≤ 5mm) are predicted for the country.

Temperatures: The temperature will remain above normal for the country during 14th - 20th March.

Teleconnections: A positive Dipole Mode has set in across the Indian Ocean since 8th of June.

MJO shall slightly suppress the rainfall during 13^{th} - 17^{th} March and moderately suppress the rainfall during 18^{th} - 27^{th} March for Sri Lanka.

Seasonal Precipitation: The precipitation forecast for the March-April-May, 2024 season shows a 40% tendency toward above normal precipitation for the southern half of the country.

Terminology for Rainfall Ranges

	Rainfall
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, ¹ International Research Institute for Climate and Society, Earth Institute at Columbia University, New York.









FEDERATION FOR ENVIRONMENT, CLIMATE AND TECHNOLOGY

www.climate.lk www.fect.lk

Weekly Climate Bulletin for Sri Lanka

Inside This Issue


- Monitoring
 a. Daily Rainfall Monitoring
 b. Weekly Rainfall Monitoring
 c. Monthly Rainfall Monitoring
 d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
 e. Weekly Temperature Monitoring
 f. Weekly Wind Monitoring
 g. Weekly Average SST Anomalies
 Predictions

- g. Weekly Average SST Anotherics
 2. Predictions
 a. NCEP GFS Ensemble 1-14 day Rainfall Predictions
 b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi
 c. MJO Related OLR Forecast
 d. Weekly Temperature Forecast
 e. Weekly Wind Forecast
 f. Seasonal Predictions from IRI

MONITORING


Daily Rainfall Monitoring

The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.




Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




Monthly Rainfall Monitoring


The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall



The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.





Sri-Lanka




(updated on 00Z12MAR2024)


Dekadal (10 Day) Satellite Derived Rainfall Estimates






Weekly Temperature Monitoring









Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




Weekly Average SST Anomalies


Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP




Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC



NCEP GFS 1-14 Day prediction





IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India




(Background does not depict political boundary

(Background does not deplot political boundary








Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomolous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.






Weekly Temperature Forecast


Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)







Weekly Wind Forecast

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)





Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).



FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the IndianOcean Islands.

Contact us

Digana Village, Rajawella, KY20180, Sri Lanka. 76/2 Matale Road, Akurana, KY 20850, Sri Lanka. +94 81 230 0415 +94 81 237 6746 info@fect.lk

