16 JUNE 2023

CLIMATE MONITORING AND PREDICTION FOR SRI LANKA

HIGHLIGHTS

Wind

Monitored & Predicted

Rainfall Prediction



Central provinces and fairly heavy rainfall is predicted for rest of the country during 15 - 21 June.

Monitored Rainfalls

- Lanka was 3.1 mm and hydro catchment areas received 9.9 mm.
- Highest average rainfall 8.7 mm/day received to Western plains.



- up to 15 m/s of mb (1.5 km).
- During 16 22 June, up to 15 m/s of north westerly winds are expected at 850 mb (1.5 km).




- Monitored Sea & Land Temp was 0.5 - 1.5°C above normal.
 - Average maximum land temperature ranged from 32-33°C and minimum ranged from 24 -25°C with a drop in the hills.


Monitoring

Rainfall


Daily Estimates for Rainfall from 6th June - 13th June 2023




6 June




7 June




8 June




9 June



10 June




11 June



12 June

80 100 120 140 160 180 Estimated Precipitation [mm/day]



13 June



Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka. Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lk E mail: info@fect.lk LI: www.linkedin.com/in/fectlk FB: www.facebook.com/fectlk TW: www.twitter.com/fectlk

Ocean State (Text Courtesy IRI)_

Pacific sea state: June 12, 2023

El Nino Mode has set in now according to NOAA. Equatorial sea surface temperatures (SSTs) are above average across the east central and eastern Pacific Ocean mid-June. El Niño conditions are expected to gradually strengthen into the Northern Hemisphere winter 2023-24.

Indian Ocean State

Sea surface temperature around Sri Lanka was 0.5° C above normal to the country in 23rd - 29th May, 2023. A positive Dipole Mode has set in across the Indian Ocean.

Predictions

Rainfall _____

7-day prediction: NOAA NCEP models

From 15th June – 21st June: Total rainfall by Provinces:

| Rainfall (mm) | Provinces |
|---------------|----------------------------|
| 115 | Sabaragamuwa |
| 105 | Southern, Western, Central |
| 85 | Northern, Eastern, Uva |
| 75 | North Central |
| 65 | North Western |

MJO based OLR predictions

For the next 15 days:

MJO shall slightly enhance the rainfall during 15th - 19th June and near neutral during 20th - 29th June for Sri Lanka.

Interpretation

Monitoring _

Rainfall: During the last two weeks, there had been heavy rainfall over the following areas: Ratnapura, Avissawella

Daily Average Rainfall in the Met stations for previous week of (7th June - 14th June) = 3.1 mm Maximum Daily Rainfall: 67.1 mm & Minimum Daily Rainfall: 0.0 mm.

| Region | Average rainfall for last 8 | Average temperature for last 8 days (°C) | |
|----------|-----------------------------|--|---------|
| | days (mm) | Maximum | Minimum |
| Northern | 0.0 | 33.9 | 27.2 |
| Eastern | 1.3 | 33.8 | 24.0 |
| Western | 8.7 | 29.7 | 24.1 |
| Southern | 0.0 | 33.6 | 26.4 |

| Region | Average rainfall for last 8 days (mm) | Daily maximum rainfall for last 8 days (mm) | Daily minimum rainfall for last 8 days (mm) |
|-----------------------|---------------------------------------|---|---|
| Hydro catchment Areas | 9.9 | 72.0 | 0.0 |

Wind: North westerly winds prevailed in the sea area and around the island last week.

Temperatures: The temperature anomalies were above normal for some parts of the Western, Sabaragamuwa, Central, and North Western provinces and near normal for rest of the country driven by the warm SST's.

Predictions

Rainfall: During the next week (15th June - 21st June), heavy rainfall (\geq 105 mm) is predicted for the Sabaragamuwa, Southern, Western, and Central provinces and fairly heavy rainfall (\geq 65 mm) is predicted for rest of the country.

Temperatures: The temperature will remain above normal for some parts of the Eastern, Northern, Uva, Southern, and North Central provinces during 16th June - 22nd June.

Teleconnections: A large majority of the models indicate El Niño conditions are expected to gradually strengthen into the Northern Hemisphere winter 2023-24.

MJO shall slightly enhance the rainfall during 15th - 19th June and near neutral during 20th - 29th June for Sri Lanka.

Seasonal Precipitation: The precipitation forecast for the July-August-September, 2023 season shows above normal precipitation for the country.

Terminology for Rainfall Ranges

| | Rainfall (During 24 hours of period) |
|-------------------|--------------------------------------|
| Light Showers | Less than 12.5 mm |
| Light to Moderate | Between 12.5 mm and 25 mm |
| Moderate | Between 25 mm and 50 mm |
| Fairly Heavy | Between 50 mm and 100 mm |
| Heavy | Between 100 mm and 150 mm |
| Very Heavy | More than 150 mm |

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, ¹ International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.











FEDERATION FOR ENVIRONMENT, CLIMATE AND **TECHNOLOGY**

www.fect.lk www.climate.lk

Weekly Climate Bulletin for Sri Lanka

Inside This Issue

- 1. Monitoring
 a. Daily Rainfall Monitoring
 b. Weekly Rainfall Monitoring
 c. Monthly Rainfall Monitoring
 d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
 e. Weekly Temperature Monitoring
 f. Weekly Wind Monitoring
 g. Weekly Average SST Anomalies

 2. Predictions
 a NCEP GES Ensemble 1-14 day Rainfall Predictions


- a. NCEP GFS Ensemble 1-14 day Rainfall Predictions
 b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi
 c. MJO Related OLR Forecast
 d. Weekly Temperature Forecast
 e. Weekly Wind Forecast


- Seasonal Predictions from IRI


MONITORING


Daily Rainfall Monitoring


The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.






















Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




Monthly Rainfall Monitoring


The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall



The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.










Data Source: CPC (Gauge-Based) Unified Precipitation (Climatology 1981-2010)
(updated on DOZ14JUN2023)


Dekadal (10 Day) Satellite Derived Rainfall Estimates






Weekly Temperature Monitoring









Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




Weekly Average SST Anomalies

Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP




zlev 0.0 meters Time 23-29 May 2023


Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC





NCEP GFS 1-14 Day prediction



IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India









Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomolous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.






Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)






Weekly Wind Forecast


Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)





Seasonal Rainfall and Temperature Forecast

Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).



About us FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands. Contact us Digana Village, Rajawella, KY20180, Sri Lanka. 76/2 Matale Road, Akurana, KY 20850, Sri Lanka. +94 81 230 0415 +94 81 237 6746 info@fect.lk Follow us In the location of 7 organizations registered in four countries across the loud and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.