
Week of 1 - 8 Oct 2021

CLIMATE MONITORING AND PREDICTION FOR SRI LANKA

HIGHLIGHTS



25 September

26 September

27 September



Federation for Environment, Climate & Technology

Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka. Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lkE mail: info@fect.lkLl: www.linkedin.com/in/fectlkFB: www.facebook.com/fectlkTW: www.twitter.com/fectlk

Ocean State (Text Courtesy IRI)_

Pacific sea state: September 22, 2021

Equatorial SSTs were near-to-below average across most of the equatorial Pacific Ocean, and were above average in the western Pacific Ocean in the late-September. A large majority of the model forecasts predict a transition from ENSO-neutral to La Niña is favored in the next couple of months and La Niña to continue through the Northern Hemisphere fall and winter.

Indian Ocean State

Sea surface temperature was observed above 0.5° C to the East, South and 1.0° C to the North, West of Sri Lanka.

Predictions

Rainfall

14-day prediction: NOAA NCEP models From 29th September – 5th October:

Total rainfall by Provinces:

| Rainfall | Provinces | |
|----------|----------------------------------|--|
| 135 mm | Sabaragamuwa, Western | |
| 115 mm | Central, North-Western, Southern | |
| 105 mm | Uva | |
| 85 mm | Eastern, North-Central | |
| 75 mm | Northern | |

From 6th - 12th October:

Total rainfall by Provinces:

| Rainfall | Provinces | |
|----------|----------------------------------|--|
| 105 mm | Sabaragamuwa | |
| 95 mm | Western | |
| 85 mm | Central, Southern | |
| 75 mm | North-Western, Uva | |
| 65 mm | Eastern, Northern, North-Central | |

MJO based OLR predictions

For the next 15 days:

MJO shall be active, thus giving slightly enhanced rainfall during $1^{st} - 13^{th}$ October.

Interpretation

Monitoring

Rainfall: During the last two weeks, there had been very heavy rainfall over the following Provinces: Sabaragamuwa and Central.

Wind: South westerly winds prevailed in the sea area and around the island during last week.

Temperatures: The temperature anomalies were in between $1^{\circ}C - 3^{\circ}C$ in Central, Sabaragamuwa, North-Central, North-Western, Southern and Western provinces while near-neutral for the rest of the country last week, driven by the warm SST's.

Predictions

Rainfall: During the next week (1st – 5th October) heavy rainfall is predicted for Central, North Western, Sabaragamuwa, Southern, Uva and Western provinces.

Temperatures: The temperature remains slightly normal for October. During $1^{st} - 9^{th}$ October, the temperature remains high especially in the Eastern, Southern and Uva provinces and low in Central province.

Teleconnections:

La Nina -The SST forecast indicates that ENSO-neutral are present and a transition from ENSO-neutral to La Niña is favored in the next couple of months.

MJO shall be active, thus giving slightly enhanced rainfall during $1^{st} - 13^{th}$ October.

Seasonal Precipitation:

October to December is the main rainfall season in Sri Lanka. The consensus predictions have switched from neutral to favoring a dry tendency. A dry tendency can hurt agricultural production and it adds to farmer difficulties due to the fertilizer bans. However, since this is the wet season the impact will not be as severe.

However, the bigger impact shall be that it shall reduce the generated hydropower in the coming months. This can hurt the economy due to the scarcity in Foreign Exchange within the country due to the Central Bank regulations.

Understanding the Forecast

| | Rainfall (During 24 hours of period) |
|-------------------|--------------------------------------|
| Light Showers | Less than 12.5 mm |
| Light to Moderate | Between 12.5 mm and 25 mm |
| Moderate | Between 25 mm and 50 mm |
| Fairly Heavy | Between 50 mm and 100 mm |
| Heavy | Between 100 mm and 150 mm |
| Very Heavy | More than 150 mm |

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, ¹ International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.









www.facebook.com/fectlk



www.twitter.com/fectlk



FOUNDATION FOR ENVIRONMENT, CLIMATE AND TECHNOLOGY

www.climate.lk

www.tropicalclimate.org

Weekly Climate Bulletin for Sri Lanka

Inside This Issue



MONITORING

Daily Rainfall Monitoring

50'N 6.5'N


Ğ,

24 Sep 2021

79.5°E 80°E

80.5°E 81.0°E Longitude

The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.





82.0⁴E


82.5°E


25 Sep 2021

81.5°E











26 Sep 2021




Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




Data Source: CPC Unified (gauge-based & 0.5x0.5 deg resolution) Precipitation Analysis




Data Source: CPC Unified (gauge-based & 0.5x0.5 deg resolution) Precipitation Analysis Climatology (1991-2020)

RFE2 7-Day Total Rainfall (mm) Period: 21Sep2021 - 27Sep2021




RFE2 7—Day Total Rainfall Anomaly (mm) Period: 21Sep2021 – 27Sep2021




Monthly Rainfall Monitoring


The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall




The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.




CPC Unified Gauge 30-Day Percent of Normal Rainfall (%) Period: 30Aug2021 - 285ep2021





RFE2 30—Day Total Rainfall (mm) Period: 29Aug2021 — 27Sep2021




RFE2 30-Day Percent of Normal Rainfall (%) Period: 29Aug2021 - 27Sep2021








Dekadal (10 Day) Satellite Derived Rainfall Estimates




Weekly Temperature Monitoring



 \mathbf{z}


Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




Weekly Average SST Anomalies

Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP




Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC





-2.5 -2 -1.5 -1 -0.5 -0.25 0.25 0.5 1 1.5 2 2.5


NCEP GFS 1-14 Day prediction



IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India









Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomolous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.






Weekly Temperature Forecast


Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)






Weekly Wind Forecast

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)



GFS 700mb week1 Mean Vector Wind Total (m/s) Ending: 18z06Oct2021




Seasonal Rainfall and Temperature Forecast

Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

White indicates Climatological odds indicates dry season (no forecast) 80°N 0.00-70°N 60°N 50°N 40°N 30°N 20°N 10°N 0 10°S 140°E 150°E 160°E 80°E 90°E 100°E 110'E 130°E 50°E 60°E 70°E 120°E 170°E Probability (%) of Most Likely Category Below Normal Normal Above Norma 40 45 50 60 70+ 40+ 40 45 50 60 70+

IRI Multi–Model Probability Forecast for Precipitation for October–November–December 2021, Issued September 2021 IRI Multi–Model Probability Forecast for Temperature for October–November–December 2021, Issued September 2021



Precipitation Forecast

Temperature Forecast

Subscribe to our Monthly Maldives Newsletter

email address

Subscribe

🈏 Follow @climatelk

Contact Us email: fectsl@gmail.com phone: (+94) 81 2376746 blog: www.fectsl.blogspot.com Foundation for Environment, Climate & Technology C/O Mahaweli Authority of Sri Lanka, Digana Village, Rajawella, SRI LANKA