

## HIGHLIGHTS

**Rainfall Prediction**



- During 28 Aug – 3 Sep, high likelihood of moderate rainfall (25 - 50 mm) is predicted for the Eastern, North Central, North Western and Northern provinces and Light to Moderate rainfall (12.5 – 25 mm) is predicted for the Sabaragamuwa, Central, Western and Southern provinces and Light Showers ( $\leq 12.5$  mm) is predicted for the Uva province.

**Monitored Rainfalls**



- On total, 140 mm was received in SL and rainfall was concentrated in the Western plains (49.8 mm) for last 8 days.
- On total, 93.4 mm was received in the hydro catchments in SL; Victoria received the highest daily rainfall (18.5 mm) for last 8 days.
- Highest daily rainfall was in Mattala on 22 Aug (17.7 mm).

**Monitored & Predicted Wind**



- From 20 Aug - 28 Aug, winds at 850mb (1.5km) were westerly, reaching up to 10 m/s.
- From 28 Aug - 4 Sep, winds are predicted to be westerly, reaching up to 10 m/s.


**Monitored Sea & Land Temp**



- Average land surface temperature was 31.0°C in the last week with warmer and cooler anomalies from seasonal average of 1-3 °C.
- Eastern plains was warmest followed by Northern, Southern and Western plains.
- Sea surface temperature around Sri Lanka was 1.0°C above average from 6 Aug to 12 Aug 2024

### Daily Estimates for Accumulated Rainfall from 29 Jul - 27 Aug 2024

Sri-Lanka



Data Source: CPC (Gauge-Based) Unified Precipitation (Climatology 1981–2010)  
(updated on 00Z27AUG2024)



Federation for  
Environment, Climate  
& Technology

### Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka.

Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: [www.fect.lk](http://www.fect.lk)

E mail: [info@fect.lk](mailto:info@fect.lk)

LI: [www.linkedin.com/in/fectlk](http://www.linkedin.com/in/fectlk)

FB: [www.facebook.com/fectlk](http://www.facebook.com/fectlk)

TW: [www.twitter.com/fectlk](http://www.twitter.com/fectlk)

# Monitoring

**Rainfall:** During the last two weeks, there has been very heavy rainfall over the following area: Palugaswewa Estate ( Puttlam )

Total Rainfall in the Met stations for the previous week of (22 - 28 Aug) = 140 mm

Maximum Daily Rainfall: 17.7 mm & Minimum Daily Rainfall: 0.0 mm.

Region	Total rainfall for 22 - 28 Aug (mm)	Average temperature for 22 - 28 Aug (°C)	
		Maximum	Minimum
Northern plains	27.1	32.4	26.2
Eastern hills	0.3	29.2	19.3
Eastern plains	26.5	33.6	25.1
Western hills	11.2	28.0	20.2
Western plains	49.8	31.1	26.1
Southern plains	24.6	31.7	25.5

Region	Total rainfall for 8 - 14 Aug (mm)	Daily maximum rainfall for 22 - 28 Aug (mm)	Daily minimum rainfall for 22 - 28 Aug (mm)
All SL	140	17.7	0.0
Hydro catchment	93.4	18.5	0.0

**Wind:** Westerly winds prevailed in the sea area and around the island last week.

**Temperatures:** The temperature anomalies were above normal for some parts of the Uva, Eastern and Sabaragamuwa province and below normal for some parts of the Eastern province for Sri Lanka driven by the warm SSTs.

## Ocean State (Text Courtesy IRI)

### **Pacific sea state: August 26, 2024**

ENSO-neutral conditions are present. Equatorial sea surface temperatures (SSTs) are above average in the western Pacific and near-to-below-average in the eastern Pacific Ocean. ENSO-neutral is expected to continue for the next several months, with La Niña favored to emerge during September-November (66% chance) and persist through the Northern Hemisphere winter 2024-25 (74% chance during November-January).

### **Indian Ocean State**

Sea surface temperature around Sri Lanka was 1.0°C above average from 6 Aug to 12 Aug 2024.

# Predictions

## Rainfall

### **14-Day prediction: NCEP GFS models**

**From 28<sup>th</sup> August - 3<sup>rd</sup> September:**

Total rainfall by Provinces

Rainfall (mm)	Provinces
45	North Western
35	Northern
25	Eastern, North Central
15	Southern, Sabaragamuwa, Western, Central
≤5	Uva

## From 4<sup>th</sup> September - 10<sup>th</sup> September:

Total rainfall by Provinces

Rainfall (mm)	Provinces
45	North Western
35	Southern, Western
25	Sabaragamuwa, Central, North Central
≤15	Northern, Eastern, Uva

## MJO-based OLR predictions

### For the next 15 days:

MJO shall near neutral the rainfall during 28th August – 11th September for Sri Lanka.

## Interpretation

### Monitoring

For August 2024, we had double than the average rainfall. This rise was driven by random and heavy cloud cover over the northern hemisphere due to the tropical convergence zone's latitude of around 10-15° N. The Sri Lanka oceanic dome developed, leading to decrease temperature around Sri Lanka and possible rainfall.

The wind was flowing North West - West and was quite high.

### Predictions

**Rainfall:** During the next week (28 Aug - 3 Sep ), moderate rainfall (25 - 50 mm) is predicted for the Eastern, North Central, North Western and Northern provinces and Light to Moderate rainfall (12.5 – 25 mm) is predicted for the Sabaragamuwa, Central, Western and Southern provinces and Light Showers (≤12.5 mm) is predicted for the Uva province.

**Temperatures:** The temperature will remain above normal for the Northern, Eastern, Southern and Uva provinces during 29 August - 4 September.


**Teleconnections:** MJO shall near neutral the rainfall during 28th August – 11th September for Sri Lanka.

**Seasonal Precipitation:** The precipitation forecast for the September-October-November, 2024 season shows a 40% or more tendency toward normal precipitation for the country.

### Terminology for Rainfall Ranges

	Rainfall
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

### Wind compass



Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, <sup>1</sup> International Research Institute for Climate and Society, Earth Institute at Columbia University, New York.



FECT Web

[www.fect.lk](http://www.fect.lk)

<http://www.climate.lk>

<http://www.tropicalclimate.org/>



FECT Blog

Past reports available at

<http://fect.lk/blog/>

<http://fectsl.blogspot.com/>



Facebook

[www.facebook.com/fectlk](http://www.facebook.com/fectlk)



Twitter

[www.twitter.com/fectlk](http://www.twitter.com/fectlk)

## Weekly Climate Bulletin for Sri Lanka

### Inside This Issue

#### 1. Monitoring

- a. Daily Rainfall Monitoring
- b. Weekly Rainfall Monitoring
- c. Monthly Rainfall Monitoring
- d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
- e. Weekly Temperature Monitoring
- f. Weekly Wind Monitoring
- g. Weekly Average SST Anomalies


#### 2. Predictions

- a. NCEP GFS Ensemble 1-14 day Rainfall Predictions
- b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi
- c. MJO Related OLR Forecast
- d. Weekly Temperature Forecast
- e. Weekly Wind Forecast
- f. Seasonal Predictions from IRI

### MONITORING

#### Daily Rainfall Monitoring

The following figure shows the observed accumulated rainfall (top) and daily observed rainfall (bottom) in Sri Lanka in the last 30 days.




Data Source: CPC (Gauge-Based) Unified Precipitation (Climatology 1981–2010)  
(updated on 00Z27AUG2024)




## Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




## Monthly Rainfall Monitoring

The figure in the left shows the total observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall





The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.








## Dekadal (10 Day) Satellite Derived Rainfall Estimates





## Weekly Temperature Monitoring




## Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




## Weekly Average SST Anomalies

Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP





Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC












**NCEP GFS 1- 14 Day prediction**



**IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India**










### Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast

The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomalous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.





## Weekly Temperature Forecast

Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)



## Weekly Wind Forecast

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)






## Seasonal Rainfall and Temperature Forecast


Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

IRI Multi-Model Probability Forecast for Precipitation for September–October–November 2024, Issued August 2024



Precipitation Forecast

IRI Multi-Model Probability Forecast for Temperature for September–October–November 2024, Issued August 2024



Temperature Forecast

### About Us

FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.

### Contact us

Digana Village, Rajawella, KY20180, Sri Lanka.  
 76/2 Matala Road, Akurana, KY 20850, Sri Lanka.  
 +94 81 230 0415  
 +94 81 237 6746  
 info@fect.lk

### Follow Us

