# **HIGHLIGHTS**

# Rainfall Prediction



entire island from 5<sup>th</sup> - 10<sup>th</sup> Nov. Greater likelihood of wet tendency is predicted for Sri Lanka from Nov to **Monitored Rainfalls** 



and Western provinces with max of 240.0 mm in Kegalle district on 31st Oct.

Monitored Wind



2<sup>nd</sup> Nov, up to Northeasterlies experienc<u>ed</u> across the island.





0.5°C in the Western and Northern seas while neutral around the rest of the island.

# **Monitoring**


Rainfall

# Daily Estimates for Rainfall from 26<sup>th</sup> October – 2<sup>nd</sup> November







30 October




27 October



31 October




28 October




1 November

80 100 120 140 160 Estimated Precipitation [mm/day



29 October



2 November



# Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka. Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lk E mail: info@fect.lk LI: www.linkedin.com/in/fectlk FB: www.facebook.com/fectlk TW: www.twitter.com/fectlk

## Ocean State (Text Courtesy IRI)

### Pacific sea state: October 27, 2021

Equatorial SSTs were near-to-below average across most of the equatorial Pacific Ocean and were above average in the western Pacific Ocean in the late-October. A large majority of the model forecasts predict a transition from ENSO-neutral to La Niña is favored in the next couple of months and La Niña to continue through the Northern Hemisphere fall and winter.

### Indian Ocean State

Sea surface temperatures were above 0.5°C in the Western and Northern seas while neutral around The rest of the island.

# **Predictions**

Rainfall \_

14-day prediction: NOAA NCEP models

From 4<sup>th</sup> November – 10<sup>th</sup> November:

Total rainfall by Provinces:

Rainfall	Provinces
145 mm	Central, Northern, North Central, North Western, Sabaragamuwa, Western
135 mm	Eastern, Uva
125 mm	Southern

### From 11<sup>th</sup> November – 17<sup>th</sup> November:

Total rainfall by Provinces:

Rainfall	Provinces
125 mm	Northern
115 mm	North Western, Sabaragamuwa, Western
105 mm	Central
95 mm	Eastern, North Central, Southern, Uva

# MJO based OLR predictions

### For the next 15 days:

MJO shall be active during  $4^{th}$  November –  $8^{th}$  November giving slightly enhanced rainfall,  $14^{th}$  November –  $18^{th}$  November giving slightly suppressed rainfall and neutral during  $9^{th}$  November –  $13^{th}$  November.

# Interpretation

## **Monitoring**

**Rainfall:** During the last two weeks, there had been heavy rainfall over the following Provinces: Central, Northern, Sabaragamuwa and Western.

Wind: North Easterly winds prevailed in the sea area and around the island last week.

**Temperatures:** The temperature anomalies were near-neutral for the entire island last week, driven by the warm SST's.

### **Predictions**

**Rainfall:** During the next week (5<sup>th</sup> November – 10<sup>th</sup> November) heavy rainfall is predicted for the entire island.

**Temperatures:** The temperature remains slightly normal during  $6^{th}$  November  $-13^{th}$  November for the entire island.

### **Teleconnections:**

La Nina -The SST forecast indicates that ENSO-neutral are present and a transition from ENSO-neutral to La Niña is favored in the next couple of months.

MJO shall be active during  $4^{th}$  November –  $8^{th}$  November giving slightly enhanced rainfall,  $14^{th}$  November –  $18^{th}$  November giving slightly suppressed rainfall and neutral during  $9^{th}$  November –  $13^{th}$  November.

### Seasonal Precipitation:

The precipitation forecast for the Nov-Jan season show enhanced probabilities of above-normal precipitation over Sri Lanka.

### **Understanding the Forecast**

	Rainfall (During 24 hours of period)
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, <sup>1</sup> International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.





**FECT Blog** 

Past reports available at http://fectsl.blogspot.com/



Facebook



**Twitter** 

www.facebook.com/fectlk

www.twitter.com/fectlk

# FEDERATION FOR ENVIRONMENT, CLIMATE AND TECHNOLOGY

www.fect.lk www.climate.lk

### **Weekly Climate Bulletin for Sri Lanka**

### Inside This Issue

- Monitoring
   a. Daily Rainfall Monitoring
   b. Weekly Rainfall Monitoring
   c. Monthly Rainfall Monitoring
   d. Dekadal (10 Day) Satellite Derived Rainfall Estimates
   e. Weekly Temperature Monitoring
   f. Weekly Wind Monitoring
   g. Weekly Average SST Anomalies

- Predictions
   a. NCEP GFS Ensemble 1-14 day Rainfall Predictions
   b. GFS (T574) Model Rainfall Forecast from RMSC New Delhi

  - c. MJO Related OLR Forecast
    d. Weekly Temperature Forecast
    e. Weekly Wind Forecast


  - Seasonal Predictions from IRI





### **MONITORING**


### **Daily Rainfall Monitoring**


The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.























The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.



### **Monthly Rainfall Monitoring**


The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall






The following figure shows the observed accumulated rainfall (top) and daily observed rainfall (bottom) in Sri Lanka in the last 30 days.

### Srí-Lanka




Data Source: CPC (Gauge-Based) Unified Precipitation (Climatology 1981-2010)

(updated on 00Z270CT2021)




### **Weekly Temperature Monitoring**




### **Weekly Wind Monitoring**


The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb ( $\sim$ 1500 m) level and the figure on the right shows 700 mb ( $\sim$ 3000 m) level.




Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP




Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC





### NCEP GFS 1- 14 Day prediction



### IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India









### Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast


The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomolous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.

OLR prediction of MJO-related anomalies using CA model reconstruction by RMM1 & RMM2 (27 Oct 2021)




Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)






### **Weekly Wind Forecast**


Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)






Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

IRI Multi-Model Probability Forecast for Precipitation for November-December-January 2022, Issued October 2021



IRI Multi-Model Probability Forecast for Temperature for November-December-January 2022, Issued October 2021



**Precipitation Forecast** 

Temperature Forecast

### About us

FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.

Contact us

Federation for Environment, Climate & Technology Digana Village, Rajawella, KY20180, SRI LANKA.

email: info@fect.lk phone: (+94) 81 2376746

