

7 APRIL
2023

CLIMATE MONITORING AND PREDICTION FOR SRI LANKA

HIGHLIGHTS

Rainfall Prediction



- Fairly heavy rainfall is predicted for the Southern, Sabaragamuwa, and Western provinces and less rainfall is expected for rest of the country during the 6th Apr - 12th Apr.

Monitored Rainfalls



- During the last week, average daily rainfall over Sri Lanka was 5.0 mm and hydro catchment areas received 10.3 mm.

Monitored & Predicted Wind



- From 28th - 3rd Apr, up to 2 m/s of South easterly winds were experienced at 850 mb level almost over the island.
- During 8th Apr - 14th Apr, up to 4 m/s of South easterly winds are expected for the country.


Monitored Sea & Land Temp




- Sea surface temperature around Sri Lanka was below normal for northern half of the island.
- Land surface temperature remained near normal.

Monitoring Rainfall


Daily Estimates for Rainfall from 28th March – 4th April 2023




28 March




29 March




30 March




31 March




1 April




2 April



3 April



4 April



Estimated Precipitation [mm/day]



Federation for
Environment, Climate
& Technology

Federation for Environment, Climate and Technology

c/o, Maintenance Office, Mahaweli Authority, Digana Village, Rajawella, Sri Lanka.

Phone (+94) 81-2376746, (+94) 81-2300415

Web Site: www.fect.lk

E mail: info@fect.lk

LI: www.linkedin.com/in/fectlk

FB: www.facebook.com/fectlk

TW: www.twitter.com/fectlk

Ocean State *(Text Courtesy IRI)*

Pacific sea state: April 3, 2023

Equatorial sea surface temperatures (SSTs) are near average across most of the Pacific Ocean early-April. The tropical Pacific atmosphere is still consistent with a weak La Niña signal. A large majority of the models indicate ENSO-neutral conditions are expected to continue through the Northern Hemisphere spring and early summer 2023.

Indian Ocean State

Sea surface temperature around Sri Lanka was below - 0.5 °C to the northern half of the country in 1st February, 2023. Across the Indian Ocean, a classical negative Indian Ocean Dipole prevails as is typical during a La Niña.

Predictions

Rainfall

14-day prediction: NOAA NCEP models

From 6th April – 12th April:

Total rainfall by Provinces:

Rainfall	Provinces
65 mm	Southern, Sabaragamuwa
55 mm	Western
35 mm	Central
25 mm	North Western, North Central, Uva, Eastern
≤ 5 mm	Northern

From 13th April – 19th April:

Total rainfall by Provinces:

Rainfall	Provinces
65 mm	Southern, Sabaragamuwa
55 mm	Western
35 mm	Central
25 mm	North Western, North Central, Uva, Eastern
≤ 5 mm	Northern

MJO based OLR predictions

For the next 15 days:

MJO shall moderately suppress the rainfall during 6th April – 15th April, and slightly suppress the rainfall during 16th April- 20th April for Sri Lanka.

Interpretation

Monitoring

Rainfall: During the last two weeks, there had been heavy rainfall over the following area:
Kurunegala

Daily Average Rainfall in the Met stations for previous week of (29th March – 5th April) = 5.0 mm

Maximum Daily Rainfall: 145.4 mm & Minimum Daily Rainfall: 0.0 mm.

Region	Average rainfall for the Last 8 days
Northern Plains	5.0 mm
Eastern	1.7 mm
Western	8.6 mm
Southern Plains	1.6 mm

The Hydro Catchment Areas recorded 10.3 mm of average rainfall for the last week

Maximum Daily Rainfall: 75.2 mm & Minimum Daily Rainfall: 0.0 mm.

Wind: South easterly winds prevailed in the sea area and around the island last week.

Temperatures: The temperature anomalies were above normal for some parts of the Sabaragamuwa province and normal for rest of the country driven by the warm SST's.

Predictions

Rainfall: During the next week (6th April – 12th April), fairly heavy rainfall (≥ 55 mm) is predicted for the Southern, Sabaragamuwa, and Western provinces, and less rainfall is expected for rest of the country.

Temperatures: The temperature will remain above normal for some parts of the Northern, North Western, North Central, Uva, Eastern, and Western provinces during 8th April – 14th April.

Teleconnections: ENSO-neutral conditions are expected to continue through the Northern Hemisphere spring and early summer 2023.

MJO shall moderately suppress the rainfall during 6th April – 15th April, and slightly suppress the rainfall during 16th April- 20th April for Sri Lanka.

Seasonal Precipitation: The precipitation forecast for the April-May-June 2023 season shows a higher tendency of below-normal precipitation for the country except Northern Province.

Terminology for Rainfall Ranges

	Rainfall (During 24 hours of period)
Light Showers	Less than 12.5 mm
Light to Moderate	Between 12.5 mm and 25 mm
Moderate	Between 25 mm and 50 mm
Fairly Heavy	Between 50 mm and 100 mm
Heavy	Between 100 mm and 150 mm
Very Heavy	More than 150 mm

Tropical Climate Guarantee, Federation of Environment, Climate and Technology, Columbia University Water Center, ¹ International Research Institute for Climate and Society, , Earth Institute at Columbia University, New York.



FECT Web

www.fect.lk
<http://www.climate.lk>
<http://www.tropicalclimate.org/>



FECT Blog

Past reports available at
<http://fect.lk/blog/>
<http://fectsl.blogspot.com/>



Facebook

www.facebook.com/fectlk



Twitter

www.twitter.com/fectlk

Weekly Climate Bulletin for Sri Lanka

Inside This Issue

1. Monitoring

- Daily Rainfall Monitoring
- Weekly Rainfall Monitoring
- Monthly Rainfall Monitoring
- Dekadal (10 Day) Satellite Derived Rainfall Estimates
- Weekly Temperature Monitoring
- Weekly Wind Monitoring
- Weekly Average SST Anomalies

2. Predictions


- NCEP GFS Ensemble 1-14 day Rainfall Predictions
- GFS (T574) Model Rainfall Forecast from RMSC New Delhi
- MJO Related OLR Forecast
- Weekly Temperature Forecast
- Weekly Wind Forecast
- Seasonal Predictions from IRI



MONITORING


Daily Rainfall Monitoring

The following figures show the satellite observed rainfall in the last 7 days in Sri Lanka.




Weekly Rainfall Monitoring

The following figures show the total satellite observed rainfall in the last week in Sri Lanka. The figure in the left is the total 7-day rainfall from NOAA Climate Prediction Center (CPC) Unified Precipitation Analysis and the figure in the right is the total 7-day rainfall from CPC RFE 2.0 Satellite Rainfall Estimates. The bottom two figures are the respective anomalies.




Monthly Rainfall Monitoring


The figure in the left shows the average observed rainfall in the previous month. The rainfall anomaly in the previous month is shown in the figure to the right. The brown color in the anomaly figure shows places which received less rainfall than the historical average while the green color shows places with above average rainfall. Darker shades show higher magnitudes in rainfall




The figure in the top-left shows the total rainfall in the past 30 days from CPC Unified Precipitation Analysis while the figure in the top-right shows the total rainfall for the same period from RFE 2.0 Satellite Rainfall Estimates. The bottom two figures show the percentage of rainfall received in the past 30 days compared to normal rainfall in this period.




The following figure shows the observed accumulated rainfall (top) and daily observed rainfall (bottom) in Sri Lanka in the last 30 days.



Dekadal (10 Day) Satellite Derived Rainfall Estimates




Weekly Temperature Monitoring




Weekly Wind Monitoring

The following figures show the mean vector wind total of the past 7 days near Sri Lanka at two levels. The figure on the left shows 850 mb (~1500 m) level and the figure on the right shows 700 mb (~3000 m) level.




Weekly Average SST Anomalies



Weekly average Sea Surface Temperature (SST) anomaly in the world from NOAA NCEP







Optimum Interpolated Sea Surface Temperature Anomaly in the Indian Ocean from NOAA CPC






NCEP GFS 1- 14 Day prediction




IMD GFS (T574) Model Rainfall Forecast from RMSC New Delhi, India





Madden Julian Oscillation (MJO) related Outgoing Longwave Radiation (OLR) Forecast

The Outgoing Longwave Radiation (OLR) is a proxy for rainfall. This can be used to identify convective rain clouds based on the MJO phase. Violet and Blue shading indicates enhanced tropical weather and Orange shading indicates suppressed conditions. The following figure shows the forecasts of MJO associated anomalous OLR for the next 15 days from the Constructed Analogue (CA) model forecasts.




Weekly Temperature Forecast

Weekly Minimum and Maximum Temperature prediction from the GFS model (from NOAA CPC)


GFS week1 Temperature Max (C)

Period: 00z08Apr2023 - 00z14Apr2023



GFS week1 Temperature Min (C)

Period: 00z08Apr2023 - 00z14Apr2023




Weekly Wind Forecast

Weekly mean vector wind total prediction from the GFS model at 850 mb (left) and 700 mb (right) levels. (from NOAA CPC)


GFS 850mb week1 Mean Vector Wind Total (m/s)

Period: 00z08Apr2023 - 00z14Apr2023



GFS 700mb week1 Mean Vector Wind Total (m/s)


Period: 00z08Apr2023 - 00z14Apr2023



Seasonal Rainfall and Temperature Forecast


Following is the latest seasonal precipitation and temperature prediction for the next 3 months by the IRI. The color shading indicates the probability of the most dominant tercile -- that is, the tercile having the highest forecast probability. The color bar alongside the map defines these dominant tercile probability levels. The upper side of the color bar shows the colors used for increasingly strong probabilities when the dominant tercile is the above-normal tercile, while the lower side shows likewise for the below-normal tercile. The gray color indicates an enhanced probability for the near-normal tercile (nearly always limited to 40%).

IRI Multi-Model Probability Forecast for Precipitation for March–April–May 2023, Issued February 2023



Precipitation Forecast

IRI Multi-Model Probability Forecast for Temperature for March–April–May 2023, Issued February 2023



Temperature Forecast

About us

FECT is a federation of 7 organizations registered in four countries which works in countries across the Indian Ocean Islands and its littoral. Over the last 20 years, we have had operations in Africa, South Asia, South-East Asia but now it is mostly in the Indian Ocean Islands.

Contact us

Federation for Environment, Climate & Technology
76/2 Matala Road, Akurana
Kandy
KY20850
SRI LANKA
email: info@fect.lk
phone: (+94) 81 2376746

Follow us on



[Subscribe to our monthly newsletters](#)